



HAL
open science

Plain packaging on tobacco products in France: Effectiveness on smokers' attitudes one year after implementation

Anne Pasquereau, Romain Guignard, Raphaël Andler, Karine
Gallopel-Morvan, Viêt Nguyen-Thanh

► **To cite this version:**

Anne Pasquereau, Romain Guignard, Raphaël Andler, Karine Gallopel-Morvan, Viêt Nguyen-Thanh.
Plain packaging on tobacco products in France: Effectiveness on smokers' attitudes one year after
implementation. *Tobacco Induced Diseases*, 2022, 20, pp.35. 10.18332/tid/146600 . hal-03810432

HAL Id: hal-03810432

<https://ehesp.hal.science/hal-03810432>

Submitted on 11 Oct 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Plain packaging on tobacco products in France: Effectiveness on smokers' attitudes one year after implementation

Anne Pasquereau¹, Romain Guignard¹, Raphaël Andler¹, Karine Gallopel-Morvan², Viêt Nguyen-Thanh¹

ABSTRACT

INTRODUCTION New packaging of tobacco products, with plain packaging and new enlarged health warnings, was made compulsory in France in 2017. This study aims to measure the impact of new packaging on smokers' embarrassment and their motivation to quit smoking.

METHODS Data from *Santé publique France* 2016, 2017 and 2018 Health Barometer surveys were used. These randomized surveys were conducted by telephone with samples of 15216 (2016), 25319 (2017), and 9074 (2018) people aged 18–75 years. The association between smokers' embarrassment and the influence of new packaging on motivation to quit smoking was studied using multivariate logistic regressions.

RESULTS After the introduction of new plain packaging, the proportion of smokers who felt embarrassed taking out their pack of cigarettes in plain sight because of its appearance doubled in 2017 (11.9%, 95% CI: 10.2–13.9 vs 5.9%, 95% CI: 4.4–7.8 in 2016, $p < 0.001$) and continued to increase in 2018 (15.5%, 95% CI: 13.7–17.5, $p < 0.01$). In 2018, women were more embarrassed than men (OR=2.0; 95% CI: 1.5–2.6, $p < 0.001$). In 2018, 26.8% (95% CI: 24.6–29.1) of smokers said the appearance of a pack of cigarettes motivated them to quit, and 22.5% (95% CI: 18.3–27.2) ex-smokers cited it as having motivated them to quit. Smokers who were embarrassed by displaying their pack were more likely to be motivated to quit because of the pack's appearance. People with higher incomes were less likely to report motivation to quit due to the pack than people with the lowest income (OR=0.5; 95% CI: 0.3–0.7, $p < 0.001$).

CONCLUSIONS In the French context, the new plain packaging of tobacco products probably had an impact on smokers' perception of tobacco by increasing the embarrassment they felt when they took out their pack of cigarettes in plain sight. It also influenced the motivation to quit smoking, and more generally, it could contribute to the denormalization of tobacco.

AFFILIATION

¹ Santé Publique France, the National Public Health Agency, Paris, France

² School of Public Health, École des Hautes Études en Santé Publique, Rennes, France

CORRESPONDENCE TO

Anne Pasquereau. Santé Publique France, the National Public Health Agency, 12 rue du Val d'Osne, 94 415 Saint Maurice cedex, France. E-mail: anne.pasquereau@santepubliquefrance.fr

KEYWORDS

tobacco, plain packaging, motivation to quit

Received: 16 December 2021

Revised: 7 February 2022

Accepted: 10 February 2022

INTRODUCTION

Plain (or standardized) packaging of tobacco products with large health and graphic warnings is one of the measures recommended in Article 11 of the World Health Organization's (WHO) Framework Convention on Tobacco Control (FCTC) which focuses on the packaging and labeling of tobacco products^{1,2}. In 2017, the WHO published a guide to help countries implement this recommendation and highlighted the objectives of plain packaging³; it is one of a set of measures intended to reduce demand, especially among young people. Australia was the first

country to implement it in December 2012, followed by France in January 2017, and the United Kingdom in May 2017 (full implementation). To date, more than 20 countries worldwide have already adopted or are about to adopt plain packaging regulation (Norway, Hungary, Canada, New Zealand, Mauritius, etc.)⁴.

A Cochrane review published in 2017 concluded that ‘the available evidence suggests that standardized packaging may reduce smoking prevalence’⁵. At the time of the review only one country had implemented plain packaging, but many experimental studies suggest the expected impact. The effect of plain packaging on smoking behaviors may be explained by different processes. The first occurs through its impact on smokers’ perceptions of tobacco. Specifically, cigarettes in plain packaging are generally perceived to taste worse and be of lower quality than cigarettes in branded packaging⁶. For the youngest, the plain pack becomes less attractive and avoids the marketing strategies of the tobacco industry⁷. The second process is visual. Specifically, plain packaging strengthens the impact of health warnings as their visibility is increased and smokers perceive tobacco to be a greater risk for their health⁵⁻⁷.

As well as the above-referenced studies, which for the most part were conducted before the implementation of plain packaging, the measure’s effectiveness has also been evaluated in some of the countries where it has already been adopted. In Australia, quit attempts increased by 5.4 points one year after the introduction of plain packaging and enlarged warnings⁸. It also seemed to have an impact on smoking prevalence in the country: a drop of 0.5 points being observed after adjusting for confounding factors^{5,9,10}. Furthermore, the number of smoking quitline calls increased by 78% after its introduction, and this increased activity continued over the long-term¹¹. Finally, in 2017, five years after its implementation, plain packaging still had an impact (less positive and more negative perception) on Australian adolescents’ perception of cigarette packs¹².

In the UK, MacGregor et al.¹³ pointed out that plain packaging combined with new, larger, graphic health warnings reduced the perceived attractiveness of cigarette packs among minors who smoked or were at a high risk of becoming smokers. Hiscock et al.¹⁴ showed that the introduction of plain packaging in

the UK combined with a minimum excise duty was associated with a significant decline in sales and in tobacco industry revenues.

In France, a study conducted one year after the implementation of plain packaging with new enlarged health warnings revealed an increase in negative perceptions of tobacco products (fear of the consequences of smoking) and a decrease in smoking initiation among adolescents¹⁵.

The present study aims to complement the above-mentioned studies by evaluating the impact of new plain packaging on adult smokers in France. As part of the French National Tobacco Reduction 2014–2019 program (*Programme national de réduction du tabagisme*, PNRT), plain packaging was made mandatory for manufactured cigarettes and roll-your-own tobacco in 2017 (not for cigars, cigarillos, pipe or shisha). Since then, packs have been characterized by a combination of plain packaging, with only one text font and a dark green color (the same color used in Australia, the UK, etc.), and new, larger and graphic health warning content, in line with the 2014 EU Directive^{16,17}.

Our study provides the first elements for an evaluation of new plain packaging (defined in this study as plain packaging with new, larger and graphic health warning content) in France in the general adult population, and focuses on three objectives:

1. Analyze whether new plain packaging increased smokers’ embarrassment when displaying their pack of cigarettes. This is a valuable indicator, since it can impact the visibility of cigarette packs in the environment, and therefore influence the perception of what is considered the norm¹⁸.
2. Evaluate the effect of: a) the embarrassment smokers feel when displaying their pack of cigarettes, and b) the use of an object to cover their cigarette pack, on the motivation of smokers and ex-smokers to quit smoking.
3. As previous studies have shown that the impact of anti-smoking measures differs according to individual profiles^{19,20}, analyze the effect of new plain packaging according to smoker characteristics.

METHODS

Data

Data come from the French national Health Barometer, national representative phone surveys

on random samples on the general population (aged 18–75 years) in metropolitan France, which are conducted annually by *Santé publique France* (the national public health agency). These surveys have made it possible to monitor changes in the public's knowledge, attitudes and behaviors in terms of health since 1992. The methodology and questionnaires for these surveys are presented in the Supplementary file and in specific publications²¹⁻²³. Questions specifically regarding plain packaging were included in the 2016, 2017 and 2018 surveys.

Measures

Sociodemographic data collected in the three surveys included sex, age, education level (<high school diploma/high school diploma />high school diploma), occupational status (working, unemployed, student or inactive), and household income per consumption unit, first tercile for the third of the population with the lowest income, second tercile, and third tercile for the third of the population with the highest income. Consumption units are used to compare households of both different sizes and compositions by assigning a coefficient to each member of the household.

Smoking status was obtained with several questions (Supplementary file). A daily smoker was defined as an individual who either declared smoking cigarettes every day or declared the number of cigarettes (manufactured or rolled) a day. An occasional smoker was defined as an individual who declared they smoked cigarettes but not every day. In the present text, the term 'smoker' refers to an individual who declared they smoked cigarettes (manufactured or rolled), irrespective of whether their consumption was daily or occasional. A person who previously smoked, either

occasionally or daily, and who declared they no longer smoked at the time of the survey, was considered an 'ex-smoker'. People who reported smoking only once or twice just to try it were considered to have never smoked. Exclusive smokers of cigars, cigarillos, pipes or shisha were excluded from the analyses, not being impacted by the new plain packaging.

With quit attempts in the previous 12 months information among daily smokers, a detailed smoking status was recoded into the following classification: 1) occasional smoker, 2) daily smoker who did not try to quit during the previous 12 months, and 3) daily smoker who tried to quit during the previous 12 months.

Smokers of representative sub-samples were asked the following questions about tobacco packaging: 1) 'Do you ever feel embarrassed by displaying your pack of cigarettes because of its appearance?' (systematically/often/sometimes/rarely/never). For the analyses, responses were grouped together as follows: 'yes' grouped 'systematically' and 'often'; while 'no' grouped 'sometimes', 'rarely' and 'never'; and 2) 'During the past twelve months, have you used a cigarette case, box, cover or pouch for your cigarettes to hide warnings or photos?' (yes/no).

To measure the effect of the appearance on the motivation to quit, smokers and ex-smokers were asked: 'Does/Did the appearance of the packs of cigarettes or tobacco motivate you to stop smoking?' (absolutely/quite a lot/ not really/ not at all). For the analyses, responses were grouped together as follows: 'yes' grouped 'absolutely' and 'quite a lot'; while 'no' grouped 'not really' and 'not at all'.

Table 1 details the sub-samples and questions related to plain packaging in the 2016, 2017 and 2018 Health Barometer surveys concerned.

Table 1. Sub-samples of responding smokers and ex-smokers and questions related to plain packaging in the 2016, 2017 and 2018 Health Barometer surveys

Questions	Population	2016 (N=15216) n	2017 (N=25319) n	2018 (N=9074) n
Do you ever feel embarrassed by displaying your pack of cigarettes in plain sight because of its appearance?	Smokers	1465	1728	2339
During the past twelve months, have you used a cigarette case, box, cover or pouch for your cigarettes to hide warnings or photos?	Smokers			2391
Does/did the appearance of the packs of cigarettes or tobacco motivate you to stop smoking?	Smokers Ex-smokers			2392 596

Analyses

- The changes over time in embarrassment taking out a pack of cigarettes or tobacco in plain sight between 2016 (before implementation), 2017 (a few months after) and 2018 (one year later) were statistically tested using Pearson's χ^2 test with a Rao-Scott second order correction to take into account the sampling plan.
- Factors associated with embarrassment in 2018 were analyzed using a logistic regression. The following variables were included: sex, age, income, education level, occupational status, smoking status and the number of cigarettes smoked per day.
- The second part of the results section presents the proportion of smokers who declared they were motivated to quit by the appearance of the package.
- Logistic regressions were performed to study the links in 2018 between the motivation to quit because of the appearance of the pack (dependent variable) and: a) the use of an object to cover their pack (explanatory variable), and b) the embarrassment displaying their pack of cigarettes or tobacco (explanatory variable). Both regressions were adjusted for the following variables: sex, age, income, education level, occupational status, smoking status, and the number of cigarettes smoked per day. The use of an object to cover the pack was added as an adjustment variable in the second model. The interactions between embarrassment taking out a pack of cigarettes or tobacco in plain sight and each of the other variables of the model were tested using an interaction term

(embarrassment–age for example). The model was stratified in case of significant interaction at the 5% threshold level.

RESULTS

Embarrassment taking out cigarette pack in plain sight because of its appearance

Evolution between 2016 (i.e. before the implementation of plain packaging), 2017 and 2018

In 2016, before the introduction of plain packaging with new enlarged health warnings, overall, 5.9% (95% CI: 4.4–7.8) of smokers were embarrassed by displaying their pack of cigarettes because of its appearance (Table 2).

In 2017, a few months after the introduction of new plain packaging in France, the proportion of smokers who were embarrassed by displaying their pack because of its appearance doubled (11.9%, 95% CI: 10.2–13.9). Conversely, the proportion of smokers not embarrassed decreased from 94.1% (95% CI: 92.2–95.6) to 88.1% (95% CI: 86.1–89.8).

In 2018, more than a year after the introduction of new plain packaging, embarrassment continued to increase, with 15.5% (95% CI: 13.7–17.5) of smokers feeling embarrassed. The proportion of smokers not embarrassed continued to decrease (from 88.1%, 95% CI: 86.1–89.8 to 84.5%, 95% CI: 82.5–86.3).

Factors associated with embarrassment by displaying pack in 2018

In 2018, after the introduction of new plain packaging in France, the embarrassment felt by smokers

Table 2. Responses to the question ‘Do you ever feel embarrassed displaying your pack of cigarettes or tobacco because of its appearance?’ and changes over the 2016–2018 period

Responses	2016 Before implementation %	2017 A few months after %	2016–2017 p	2018 One year later %	2017–2018 p	2016–2018 p
Yes	5.9	11.9	<0.001	15.5	<0.01	<0.001
Systematically	1.7	6.0		6.4		
Often	4.2	5.9		9.1		
No	94.1	88.1		84.5		
Sometimes	6.8	10.1		10.6		
Rarely	8.2	8.3		10.3		
Never	79.2	69.7		63.6		

Source: *Santé publique France* Health Barometer surveys 2016, 2017 and 2018.

displaying their pack of cigarettes was associated with age, in the adjusted model: for each age group between 25–75 years, smokers were more likely to be embarrassed than people aged 18–24 years (Table 3). Women were more embarrassed than men (OR=2.0; 95% CI: 1.5–2.6, $p<0.001$). Income was also associated with embarrassment: people with the higher incomes were less likely to feel embarrassed (OR=0.6; 95% CI: 0.4–0.9, $p<0.05$ for the 2nd and 3rd tertiles) than people with the lowest income (1st

tertile). Furthermore, students, retirees and other inactive people were less embarrassed than employed workers (OR=0.6; 95% CI: 0.4–0.9, $p<0.05$).

The number of cigarettes smoked per day was associated with smokers' embarrassment displaying their pack of cigarettes: those who smoked 5–10 cigarettes per day (OR=0.5; 95% CI: 0.3–0.8, $p<0.01$) and those who smoked ≥ 10 cigarettes per day (OR=0.6; 95% CI: 0.4–0.9, $p<0.05$) were less embarrassed than those who smoked <5 cigarettes per day.

Table 3. Factors associated with being embarrassed (systematically or often) to take out a pack of cigarettes in plain sight because of its appearance in 2018 (N=2319)

Factors	n	% ^a	OR	95% CI
Sex				

Men (Ref.)	1207	11.6	1	
Women	1132	19.9	2.0***	1.5–2.6
Age (years)				
		**		
18–24 (Ref.)	303	6.9	1	
25–34	437	15.7	2.2*	1.1–4.2
35–44	535	19.8	2.8**	1.4–5.3
45–54	521	16.4	2.1*	1.1–4.1
55–75	543	16.2	2.5**	1.3–4.8
Income per consumption unit				
		*		
1st tertile (low) (Ref.)	701	19.4	1	
2nd tertile	781	13.7	0.6*	0.4–0.9
3rd tertile (high)	653	12.7	0.6*	0.4–0.9
Don't know/refused to answer	204	13.2	0.7	0.4–1.3
Educational level				
		*		
<High school diploma (Ref.)	970	17.7	1	
High school diploma	549	12.1	0.7	0.5–1.1
>High school diploma	813	14.1	0.8	0.5–1.1
Occupational status				
Employed (Ref.)	1565	15.8	1	
Unemployed	220	20.3	1.2	0.7–1.9
Student, retirees, other inactive status	554	12.2	0.6*	0.4–0.9
Smoking status				
Daily smoker with no quit attempt in previous 12 months (Ref.)	1456	17.0	1	
Daily smoker with quit attempt in previous 12 months	470	11.9	0.8	0.5–1.1
Occasional smoker	412	14.5	0.7	0.4–1.1
Number of cigarettes smoked daily				
0–5 (Ref.)	762	18.0	1	
5–10	672	13.8	0.5**	0.3–0.8
>10	892	15.0	0.6*	0.4–0.9

* $p<0.05$, ** $p<0.01$, *** $p<0.001$. a Percentages of smokers who felt embarrassed, and p for bivariate analyses between individual characteristics variables and embarrassment. Source: Santé publique France Health Barometer surveys 2016, 2017 and 2018.

The effect of new plain packaging on motivation to quit smoking

Motivation to quit smoking

In 2018, 22.5% (95% CI: 18.3–27.2) of ex-smokers said the appearance of a pack of cigarettes had motivated them to quit. For ex-smokers, the multivariate analysis showed no association between motivation because of the pack's appearance and the various sociodemographic variables studied (sex, age, income, educational level, occupational status). Among smokers in 2018, 26.8% (95% CI: 24.6–29.1) said the appearance of a pack of cigarettes motivated them to quit. Conversely, 73.2% (95% CI: 70.9–75.4) said it was not a motivating factor.

Use of an object to hide their cigarette pack

In 2018, 17.2% (95% CI: 15.3–19.1%) of smokers said they used an object (i.e. case, box, cover or pouch) for their cigarette pack to hide warnings and photos. In the adjusted model, only sex was linked to this avoidance strategy, with women being more likely to use a cover than men (OR=2.4; 95% CI: 1.8–3.2, $p<0.001$).

Association between embarrassment, the use of an object to hide cigarette pack, and motivation to quit smoking

Embarrassment taking out a pack of cigarettes in plain sight because of its appearance was associated with motivation to quit smoking. Among embarrassed smokers, 51.3% (95% CI: 44.6–57.9) were motivated to quit by the pack's appearance. Conversely, only 22.2% (95% CI: 20.0–24.5) of smokers who reported not being embarrassed reported that the appearance of the pack motivated them to quit.

The use of an object (case, box, cover, pouch) to hide warnings or photos was also associated with motivation to quit. Among smokers using such an object, 35.5% (95% CI: 29.9–41.4) said they were motivated to quit because of the appearance of the pack. This contrasts with 25.0% (95% CI: 22.7–27.5) for those who did not use any such object.

In the multivariate logistic regression modeling, the motivation to quit smoking due to the pack appearance, without the explanatory variable 'embarrassment taking out a pack of cigarettes or tobacco in plain sight', and controlling for socioeconomic and tobacco consumption characteristics, the use of an object to hide the pack was associated with the motivation to

quit smoking (OR=1.7; 95% CI: 1.3–2.3, $p<0.001$).

In the adjusted model with the explanatory variable 'embarrassment taking out a pack of cigarettes or tobacco in plain sight' (Table 4), smokers who systematically (OR=4.6; 95% CI: 2.9–7.4, $p<0.001$), often (OR=5.7; 95% CI: 3.8–8.6, $p<0.001$), sometimes (OR=4.3; 95% CI: 2.9–6.2, $p<0.001$), or rarely embarrassed (OR=1.7; 95% CI: 1.1–2.5, $p<0.05$) all had a higher probability of being motivated to quit by the appearance of the pack than smokers who were never embarrassed. In contrast, the use of an object to hide the pack was no longer associated with motivation to quit smoking (OR=1.0; 95% CI: 0.7–1.4). The association between the use of an object to hide the pack and motivation to quit may therefore be explained by the embarrassment felt.

Factors associated with motivation to quit smoking

The motivation of smokers to quit smoking generated by the appearance of the pack was not strongly associated with their socioeconomic characteristics, in the adjusted model. Specifically, only income level was associated with motivation (Table 4). People with higher incomes were less likely to report motivation to quit than people on the lowest income (OR=0.5; 95% CI: 0.3–0.7, $p<0.001$). Conversely, tobacco consumption characteristics were more strongly associated with motivation to quit. In terms of smoking status, daily smokers who made a quit attempt within the previous 12 months and occasional smokers were more motivated to quit by the appearance of the pack than smokers who had not made a quit attempt in the previous 12 months (OR=2.0 for the 2 groups, 95% CI: 1.5–2.8, $p<0.001$ and 95% CI: 1.3–3.0, $p<0.01$, respectively). Those who smoked ≥ 10 cigarettes per day were less likely to be motivated by the appearance of the package than those who smoked < 5 cigarettes per day (OR=0.6; 95% CI: 0.4–0.9, $p<0.01$).

The study of the interactions between the embarrassment taking out a pack of cigarettes in plain sight and each other variable of the model highlighted that the embarrassment felt was associated in different ways with motivation to quit, generated by the appearance of the pack for the following two characteristics:

- Occupational status (p -interaction=0.016): among employed, retirees, students, and other inactive persons, embarrassment was associated with greater

Table 4. Factors associated with motivation to quit smoking due to the appearance of packs of cigarettes or tobacco in 2018 (N=2308)

Explanatory variables	n	% ^a	OR	95% CI
Sex				
		*		
Men (Ref.)	1228	24.5	1	
Women	1164	29.3	1.0	0.8–1.3
Age (years)				
18–24 (Ref.)	307	27.6	1	
25–34	446	24.3	0.8	0.5–1.3
35–44	542	28.5	1.0	0.6–1.6
45–54	535	27.5	1.1	0.7–1.7
55–75	562	26.4	1.1	0.7–1.8
Income per consumption unit				
		**		
1st tercile (low) (Ref.)	711	31.2	1	
2nd tercile	799	26.1	0.8	0.6–1.1
3rd tercile (high)	672	19.7	0.5***	0.3–0.7
Don't know/refused to answer	210	29.2	0.8	0.5–1.3
Educational level				
<High school diploma (Ref.)	990	28.3	1	
High school diploma	553	23.7	0.8	0.6–1.1
>High school diploma	841	26.0	0.9	0.6–1.2
Occupational status				
Employed (Ref.)	1600	26.2	1	
Unemployed	222	27.9	0.9	0.5–1.4
Student, retirees, other inactive status	570	27.8	0.9	0.6–1.2
Smoking status				

Daily smoker with no quit attempt in previous 12 months (Ref.)	1471	22.2	1	
Daily smoker with quit attempt in previous 12 months	473	33.2	2.0***	1.5–2.8
Occasional smoker	447	35.7	2.0**	1.3–3.0
Number of cigarettes smoked daily				

0–5 (Ref.)	803	34.4	1	
5–10	676	27.2	0.9	0.6–1.3
>10	900	20.7	0.6**	0.4–0.9
Embarrassment taking out cigarette pack in plain sight				

Never (Ref.)	1491	17.3	1	
Rarely	248	26.0	1.7*	1.1–2.5
Sometimes	252	47.5	4.3***	2.9–6.2
Often	203	53.3	5.7***	3.8–8.6
Systematically	138	48.5	4.6***	2.9–7.4
Use of an object to hide pack				

No (Ref.)	1965	25.0	1	
Yes	416	35.5	1.0	0.7–1.4

*p<0.05, **p<0.01, ***p<0.001. a Percentages of smokers who declare being motivated to quit smoking due to the pack appearance, and p for bivariate analyses between individual characteristics variables and motivation. Source: *Santé publique France* Health Barometer 2018.

motivation (OR=5.0; 95% CI: 3.4–7.5, $p<0.001$ and OR=3.1; 95% CI: 1.5–6.8, $p<0.01$, respectively). Instead, it was not associated with motivation in unemployed people (OR=0.9; 95% CI: 0.3–2.6).

- Using an object to hide cigarette pack ($p<0.001$): embarrassment was associated with motivation to quit smoking only among people who did not use such an object (OR=5.7; 95% CI: 3.8–8.7, $p<0.001$ vs OR=1.5; 95% CI: 0.9–2.6 among those who did use such an object).

DISCUSSION

The effect of new plain packaging on smokers' embarrassment

The results of the present study suggest that the new packaging of tobacco products in France has had an impact on the embarrassment smokers felt when displaying a pack of cigarettes or tobacco due to its appearance. Smokers were twice as likely to feel embarrassed following the introduction of plain packaging with new enlarged graphic health warnings in France in 2017 with respect to before its introduction in 2016. This proportion continued to increase in 2018.

The embarrassment felt by smokers is an indicator of the denormalization of tobacco. A review of the literature performed in 2018 showed that plain packaging participated in tobacco denormalization by increasing negative opinions about smoking and about starting to smoke²⁴.

It also participates in the denormalization of tobacco in the overall environment (familial, social, visual, etc.). In Australia, a recent study showed that cigarette packs were much less present in the environment (outdoor seating areas, bars, restaurants) two years after the introduction of plain packaging in places where children were present²⁵.

The effect of embarrassment on motivation to quit smoking

In the present study, the appearance of a cigarette or tobacco pack was a factor that motivated more than a quarter of the study's smokers to quit, and more than a fifth of ex-smokers cited it as having motivated them to quit. Our results show that smokers who were embarrassed to display their pack of cigarettes or tobacco because of its appearance, were more likely to be motivated to quit because of the appearance of

the pack. Indeed, a review of the literature published in 2018 concluded that plain packaging was effective in increasing the intention to quit smoking among exposed individuals²⁴. The impact study conducted in Australia also suggested an effect of plain packaging on smoking prevalence⁹.

However, the use of an object to hide cigarette packs may mitigate or prevent the impact of plain packaging and health warnings on motivation to quit smoking. Indeed, in the present study, embarrassment was associated with motivation to quit only in people who did not use an object to hide their cigarette pack. This result was not found among all smokers in another study in Australia which highlighted an overall positive impact on smokers, and rejection of the measure among only a minority of them²⁶. We conclude that longer follow-up is necessary to see if this impact is temporary or continues over time.

Accordingly, plain packaging with new enlarged health warnings can act on the following two dimensions described in behavioral change models, in particular COM-B model: 1) motivation, an individual component; and 2) opportunity, through its social and environmental component and the implementation of a new norm²⁷.

Factors associated with embarrassment by displaying pack and motivation to quit

In the present study, women were more likely to report both embarrassment when displaying a pack of cigarettes or tobacco and to use of an object to hide packs. A Spanish study also showed that women were more sensitive than men to cigarette packaging, and more impacted by it. Furthermore, plain packaging influenced women's perceptions more²⁸. For decades, the tobacco industry has developed marketing strategies targeting women, by associating cigarettes with glamor and a positive social image²⁹. Plain packaging has made some of these marketing strategies impossible, with a bigger impact on women than men.

In our study, the motivation to quit smoking brought about by new plain packaging was lower among people with the higher incomes. In France, social inequalities linked to smoking continue to be very pronounced³⁰. Our results suggest that the impact of plain packaging with new enlarged graphic health warnings is possibly stronger on more

socially precarious populations, and that the measure contributes towards meeting one of the primary objectives of the national program against tobacco.

French results confirming the results of previous studies over the medium term and in the general population

The present study conducted after new plain packaging was implemented in France, confirms the results of studies on smokers' perceptions of plain packaging conducted before its implementation. An experimental study conducted in France in 2011 showed that plain packs were perceived to be less attractive than ordinary packs, less likely to motivate young people to buy tobacco, and more likely to strengthen motivation to quit in smokers already motivated to some degree³¹. Moreover, a before/after implementation study of adolescents found greater fear of the consequences of smoking, and perception of less acceptability of smoking by family and friends¹⁵.

Strengths and limitations

The present study has several limitations. First, as the data for the indicators presented here came from self-reported surveys, reporting bias cannot be ruled out. Second, the question about respondents' perception of the package was only asked to smokers. Had it been asked to ex-smokers who had recently quit, it could have provided more specific information about this sub-population. Third, although data on the motivation to quit smoking generated by the appearance of the package were collected for ex-smokers, the number of respondents was relatively small. Furthermore, data on the characteristics of their past use were not collected. Both these elements may certainly have impacted the multivariate analysis. Fourth, a causal link cannot be established from cross-sectional surveys, associations are studied, and a possible reverse causality cannot be excluded. Finally, since plain packaging and new enlarged health warnings were implemented simultaneously, we cannot distinguish the impact of each measure separately. In Canada, plain packaging without any changes regarding the size and content of health warning labels was implemented in 2020. A study suggests that plain packaging reduces appeal but does not have an impact on health warning effectiveness if

they are not renewed³².

The study also has several strengths. First, it is based on robust surveys, which are representative of the French general population. The large sample size made it possible to highlight social disparities.

Furthermore, the study included several measurement time points, which made it possible to assess the effects of the introduction of plain packaging both in the short and medium terms.

Finally, general population surveys with this robustness which explore the relationship of smokers with their pack of cigarettes are rare, particularly those which examine the use of an object to hide the pack.

CONCLUSIONS

It is difficult to measure separately the effect of each and every French tobacco control measure on the decrease in the smoking prevalence since 2016³² because most were simultaneously implemented between 2016 and 2018 (price increases, reinforced quitting support, social marketing campaigns, plain packaging with new enlarged health warnings). Nevertheless, the new packaging of tobacco products (larger health warnings and plain packs) has probably had an impact on smokers' behaviors in France, through the embarrassment felt when taking out a pack in plain sight, and their motivation to quit caused by the appearance of the pack. What is certain is that this measure has contributed – in a particularly strong anti-tobacco context – to further denormalize tobacco products in France. This strategy of denormalization needs to be continued in France, and our results show the value of implementing plain packaging with new enlarged graphic health warnings in countries where it has not yet been adopted.

REFERENCES

1. WHO Framework Convention on Tobacco Control. World Health Organization; 2005:42. Accessed December 15, 2021. https://www.who.int/fctc/text_download/en/
2. WHO Framework Convention on Tobacco Control. Guidelines for implementation of Article 11 of the WHO Framework Convention on Tobacco Control (Packaging and labelling of tobacco products). World Health Organization; 2008:14. Accessed December 15, 2021. https://www.who.int/fctc/guidelines/article_11.pdf?ua=1
3. World Health Organization. Plain packaging of tobacco

- products: Evidence, Design and Implementation. World Health Organization; 2016:86. Accessed December 15, 2021. <https://www.who.int/publications/i/item/9789241565226>
4. World Health Organization. Tobacco Plain Packaging: Global Status Update. World Health Organization; 2018:36. Accessed December 15, 2021. <https://www.who.int/publications/i/item/WHO-NMH-PND-NAC-18.9>
 5. McNeill A, Gravelly S, Hitchman SC, Bauld L, Hammond D, Hartmann-Boyce J. Tobacco packaging design for reducing tobacco use. *Cochrane Database Syst Rev.* 2017;4(4):CD011244. doi:10.1002/14651858.CD011244.pub2
 6. Wakefield M, Coomber K, Zacher M, Durkin S, Brennan E, Scollo M. Australian adult smokers' responses to plain packaging with larger graphic health warnings 1 year after implementation: results from a national cross-sectional tracking survey. *Tob Control.* 2015;24(Suppl 2):ii17-ii25. doi:10.1136/tobaccocontrol-2014-052050
 7. Drovandi A, Teague PA, Glass B, Malau-Aduli B. A systematic review of the perceptions of adolescents on graphic health warnings and plain packaging of cigarettes. *Syst Rev.* 2019;8(1):25. doi:10.1186/s13643-018-0933-0
 8. Australian Government - Department of the Prime Minister and Cabinet. Post-implementation review: Tobacco Plain Packaging. Department of the Prime Minister and Cabinet; 2016. Accessed December 15, 2021. <https://obpr.pmc.gov.au/published-impact-analyses-and-reports/tobacco-plain-packaging>
 9. Chipty T. Study of the Impact of the Tobacco Plain Packaging Measure on Smoking Prevalence in Australia. Australian Government - Department of Health; 2016. Accessed December 15, 2021. [https://www1.health.gov.au/internet/main/publishing.nsf/content/491CE0444F7B0A76CA257FBE00195BF3/\\$File/PIR%20of%20Tobacco%20Plain%20Packaging%20-%20with%20Addendum.pdf](https://www1.health.gov.au/internet/main/publishing.nsf/content/491CE0444F7B0A76CA257FBE00195BF3/$File/PIR%20of%20Tobacco%20Plain%20Packaging%20-%20with%20Addendum.pdf)
 10. Implementation and evaluation of the Australian tobacco plain packaging policy. *Tob Control.* 2015;24(suppl 2). Accessed February 7, 2022. https://tobaccocontrol.bmj.com/content/24/Suppl_2
 11. Young JM, Stacey I, Dobbins TA, Dunlop S, Dessaix AL, Currow DC. Association between tobacco plain packaging and Quitline calls: a population-based, interrupted time-series analysis. *Med J Aust.* 2014;200(1):29-32. doi:10.5694/mja13.11070
 12. White VM, Guerin N, Williams T, Wakefield MA. Long-term impact of plain packaging of cigarettes with larger graphic health warnings: findings from cross-sectional surveys of Australian adolescents between 2011 and 2017. *Tob Control.* 2019;28(e1):e77-e84. doi:10.1136/tobaccocontrol-2019-054988
 13. MacGregor A, Delaney H, Amos A, et al. 'It's like sludge green': young people's perceptions of standardized tobacco packaging in the UK. *Addiction.* 2020;115(9):1736-1744. doi:10.1111/add.14999
 14. Hiscock R, Augustin NH, Branston JR, Gilmore AB. Longitudinal evaluation of the impact of standardised packaging and minimum excise tax on tobacco sales and industry revenue in the UK. *Tob Control.* 2020;30:515-522. doi:10.1136/tobaccocontrol-2019-055387
 15. El-Khoury Lesueur F, Bolze C, Gomajee R, White V, Melchior M. Plain tobacco packaging, increased graphic health warnings and adolescents' perceptions and initiation of smoking: DePICT, a French nationwide study. *Tob Control.* 2019;28(e1):e31-e36. doi:10.1136/tobaccocontrol-2018-054573
 16. Directive 2014/40/UE du Parlement européen et du 3 avril 2014 relative au rapprochement des dispositions législatives, réglementaires et administratives des États membres en matière de fabrication, de présentation et de vente des produits du tabac et des produits connexes, et abrogeant la directive 2001/37/CE. *Journal officiel de l'Union européenne.* 2014;127. Accessed December 15, 2021. <https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:32014L0040&from=EN>
 17. Décret n° 2016-334 du 21 mars 2016 relatif au paquet neutre des cigarettes et de certains produits du tabac. *Journal officiel Lois et Décrets.* 2016;n°0069. Accessed December 15, 2021. https://www.legifrance.gouv.fr/download/pdf?id=_UHCHCsEpEI4TOow82kPxvaib6MI9xQU-us85fgyoEk=
 18. Pearson AL, Nutsford D, Thomson G. Measuring visual exposure to smoking behaviours: a viewshed analysis of smoking at outdoor bars and cafés across a capital city's downtown area. *BMC Public Health.* 2014;14:300. doi:10.1186/1471-2458-14-300
 19. Tangari A, Burton S, Andrews J, Netemeyer R. How do Antitobacco Campaign Advertising and Smoking Status Affect Beliefs and Intentions? Some Similarities and Differences between Adults and Adolescents. *J Public Policy Mark.* 2007;26(1):60-67. doi:10.1509/jppm.26.1.60
 20. Debevec K, Diamond WD. Social Smokers: Smoking Motivations, Behavior, Vulnerability, and Responses to Antismoking Advertising. *Journal of Consumer Behavior.* 2012;11:207-216. doi:10.1002/cb.1373
 21. Santé publique France. Baromètre de Santé publique France 2018: Questionnaire. Santé publique France; 2019. Accessed December 15, 2021. <https://www.santepubliquefrance.fr/determinants-de-sante/tabac/documents/questionnaire/barometre-de-sante-publique-france-2018-questionnaire>
 22. Richard JB, Andler R, Guignard R, et al. Baromètre santé 2017: Méthode. Objectifs, contexte de mise en place et protocole. Santé publique France; 2018. Accessed December 15, 2021. https://www.santepubliquefrance.fr/content/download/119660/file/152124_1856.pdf
 23. Richard JB, Andler R. Baromètre de Santé publique France 2018: méthode. Santé publique France; 2019. Accessed December 15, 2021. <https://www.santepubliquefrance.fr/docs/barometre-de-sante-publique-france-2018-methode>

24. Lilic N, Stretton M, Prakash M. How effective is the plain packaging of tobacco policy on rates of intention to quit smoking and changing attitudes to smoking? *ANZ J Surg.* 2018;88(9):825-830. doi:10.1111/ans.14679
25. Brennan E, Bayly M, Scollo M, Zacher M, Wakefield MA. Observed smoking and tobacco pack display in Australian outdoor cafés 2 years after implementation of plain packaging. *Eur J Public Health.* 2018;28(4):702-707. doi:10.1093/eurpub/cky051
26. Yong HH, Borland R, Hammond D, Thrasher JF, Cummings KM, Fong GT. Smokers' reactions to the new larger health warning labels on plain cigarette packs in Australia: findings from the ITC Australia project. *Tob Control.* 2016;25:181-187. doi:10.1136/tobaccocontrol-2014-051979
27. Michie S, van Stralen MM, West R. The behaviour change wheel: a new method for characterising and designing behaviour change interventions. *Implement Sci.* 2011;6:42. doi:10.1186/1748-5908-6-42
28. Lacave-García B, Rey-Pino JM, Gallopel-Morvan K, Moodie C, Fernández E, Nerín I. Perceptions of plain cigarette packaging among smokers and non-smokers in Andalusia (Spain). *Gac Sanit.* 2020;34(1):10-14. doi:10.1016/j.gaceta.2018.04.009
29. Amos A, Haglund M. From social taboo to "torch of freedom": the marketing of cigarettes to women. *Tob Control.* 2000;9(1):3-8. doi:10.1136/tc.9.1.3
30. Pasquereau A, Andler R, Arwidson P, Guignard R, Nguyen-Thanh V. Tobacco use among adults: Five-year review of the National Tobacco Control Programme, 2014-2019. In French. *Bulletin Epidémiologique Hebdomadaire (Paris).* 2020(14):273-281. Accessed December 15, 2021. http://beh.santepubliquefrance.fr/beh/2020/14/2020_14_1.html
31. Gallopel-Morvan K, Moodie C, Hammond D, Eker F, Beguinot E, Martinet Y. Consumer perceptions of cigarette pack design in France: a comparison of regular, limited edition and plain packaging. *Tob Control.* 2012;21(5):502-506. doi:10.1136/tobaccocontrol-2011-050079
32. Gravely S, Chung-Hall J, Craig LV, et al. Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. *Tob Control.* 2021. doi:10.1136/tobaccocontrol-2021-056635

CONFLICTS OF INTEREST

The authors have completed and submitted the ICMJE Form for Disclosure of Potential Conflicts of Interest and none was reported.

FUNDING

This work was supported by *Santé publique France*, the national public health agency, which employs AP, RG, RA and VNT.

ETHICAL APPROVAL AND INFORMED CONSENT

Ethical approval and informed consent were not required for this study.

DATA AVAILABILITY

The data supporting this research are available from the authors on reasonable request.

PROVENANCE AND PEER REVIEW

Not commissioned; externally peer reviewed.